

Ground Water Quality Program 523 East Capital Avenue Joe Foss Building, Pierre, South Dakota 57501-3181

## **Ground Water Discharge Plan Application** (Revised July 1997)

Ado	lress:
Tel	ephone:
	al representative or contact person if different from above:
Nar	1
Tuc	iress:
Tel	ephone:
	al Location of Discharge Facility, refer to ARSD 74:54:02:06 (2) unty,1/41/4, Section
	J
Tov	vnship, Range
Tov Ref	er to ARSD 74:54:02:06 (3)
Refe Nar	vnship, Range er to ARSD 74:54:02:06 (3) ne of facility and/or project
Refe Nar	er to ARSD 74:54:02:06 (3)
Refe Nar Esti	vnship, Range er to ARSD 74:54:02:06 (3) ne of facility and/or project
Refe Nar Esti	with the project of t
Refo Nar Esti	with the project of t
Refo Nar Esti	with the project of the facility and/or project of operation, facility or development.    New facility   Modification of existing facility
Refe Nar Esti	with the project of t

A	ctivities, etc.)	l, silvicultural, gravel v	G,	rusning
Description	of operation.			
of all wells or man-ma	(existing, abandoned e structures, and was	Section, Township, ed, or proposed), water usage (past, prese e. <i>Refer to ARSD 74:5</i>	r bodies, draina nt, or future) wi	ges, nat
Wells - exi	sting, abandoned, p	roposed, refer to ARSL	74:54:02:06 (	12)
Wells - exi	sting, abandoned, p <u>Location</u>	roposed, <i>refer to ARSL</i> <u>Description</u>	9 74:54:02:06 ( <u>Status</u>	,
	<i>5</i> , , , ,	1	·	,
Name	<i>5</i> , , , ,	1	·	,
Name	Location	1	·	<u>Usa</u>
Name Water Bod	Location  Location  ies and Drainages	Description	Status	<u>Usa</u>
Name Water Bod	Location  Location  ies and Drainages	Description	Status	<u>Usa</u>
Name Water Bod	Location  Location  ies and Drainages	Description	Status	<u>Us</u>

The above information MUST be included on a plat map and attached to the application.

- 5. A. Geologic Description discussion must include:
  - 1. Structural Geology regional and local
  - Stratigraphy description of geographic formations and thickness

     soil types, thickness, depth to bedrock, cation exchange capacity, and attenuation capabilities.
  - 3. Geomorphology (topography)
  - 4. Land use
  - B. Hydrologic description discussion must include:
    - 1. Depth to ground-water or aquifer must include all sources, description of the source, flow directions and gradients, well logs must be included.
    - 2. The ground-water most likely to be affected by the discharge description to include the name of the aquifer, saturated thickness, flow direction, porosity, hydraulic conductivity, and other flow characteristics, hydraulic connection with other aquifers or surface sources, recharge information, water in storage, usage, and the projected aerial extent of the aquifer. *Refer to ARSD 74:54:02:06 (11)*.
    - 3. The quality of all water sources in accordance to the parameters listed in *ARSD 74:54:01:03 and 74:54:01:04*, inclusive. Future monitoring sites will be required to submit sampling data upon completion. Source

<u>Parameter</u>	Concentration (mg\L)		
1 1 4 1 01 4 1 100			

- 4. Flooding potential of the site, the 100 year flood plain, if applicable, and any protection measures. *Refer to ARSD 74:54:02:06 (14)*.
- C. Agricultural Description if applicable, the discussion must include land use; types of crops produced; irrigation, if used; locations of livestock confinement areas (existing or abandoned).
- 6. Description of construction, modification or operation of discharge system to include a quality assurance/quality control plan for construction. Copies of plans and specifications relating to construction, modification, and operation of discharge systems, including materials specifications provided by the manufacturer, must be submitted to the Department of Environment and Natural Resources. *Refer to ARSD 74:54:02:13*.

The description must include the means of discharge (to a lagoon, cropland, septic tank-leach field, other - specify), the quantity, the quality, and the description of treatment, if any, prior to discharge. *Refer to ARSD 74:54:02:06 (6) and (10)*.

<u>A X7.1 1: 1 1</u>	11 1
Average Volume discharged	
Maximum Volume discharged	gallons per day
Number of days per year that facility w	vill discharge.
If more than one discharge point exists, list the maximum) for each source in gallons per day.	e discharge volume (average and
Quality, refer to ARSD 74:54:01:03 and 74:5  Before Treatment	54:01:04
<u>Parameter</u>	Concentration (mg/L)
After Treatment - the quality of the disjustified by the laboratory testing and they must be submitted with the application discharge, the quality for each must be than one individual discharge streams of the stream	calculation. If calculations are used ation. If more than one type of submitted. composites of more
<u>Parameter</u>	Concentration (mg/L)

Quantity

- 7. What conditions naturally exist, and what actions will the discharger take to assure that the discharge can be controlled and will not migrate into or adversely affect the quality of any waters of the state. This discussion should address chemical loading, attenuation, dilution, methods to minimize ground water discharge (i.e., synthetically lined ponds with leak detection), and methods for detecting system failures. *Refer to ARSD 74:54:02:06 (7) and 74:54:02:21*.
- 8. If applicable, describe the Perimeter of Operational Pollution (POP), and any Geologic or hydrological information used to determine the dimensions of the POP. A social and economic justification for the POP must be included. A plat map showing the proposed dimensions of the POP, monitoring points for the POP, and the compliance monitoring point must be included. *Refer to ARSD* 74:54:02:06 (8), 74:54:02:11, and 74:54:02:17.
- 9. Refer to ARSD 74:54:02:06 (9) and 74:54:02:20, a monitoring plan to include: A. The ambient water quality of the discharge site in accordance with ARSD 74:54:02:18.
- B. A quality assurance/quality control plan for sampling, well construction, or other effluent or leachate monitoring devices (e.g., lysimeters or tensiometers).

- C. A quality assurance/quality control plan for laboratories used by the operator.
- D. an operational monitoring plan to address monitoring sites, parameters to be measured, a monitoring schedule, and reporting schedule.
- E. Post closure monitoring plan to address monitoring sites, parameters to be measured, a monitoring schedule, and reporting schedule.
- 10. Define an operational compliance effluent (discharge stream) sampling plan. Include parameters to be sampled, a monitoring schedule, and the means or devices used for measurement of the rate of discharge (flow monitoring). Also address a reporting schedule of the discharge. *Refer to ARSD 74:54:02:06 (13)*, 74:54:02:20 and 74:54:02:22.
- 11. Define an operation and a post-closure contingency plan to bring the facility into compliance if the permitted allowable limits are exceeded. *Refer to ARSD* 74:54:02:06 (15), 74:54:02:22 and 74:54:02:27.
- 12. Define methods and procedures for inspections of facility operation and for detection of system failures. The discharger must include a notarized statement granting permission to inspect in accordance with ARSD 74:50:03:03. The document must be signed by a person legally responsible for the facility. *Refer to ARSD 74:54:02:06 (16)*.

NOTE: To demonstrate that the ground-water standards will not be violated, and waters of the State will be protected, additional information may be requested of the discharger.

I certify that I am a person (the owner and/or operator) legally responsible for this

Printed Name of Person Signing

facility, that I am familiar with the information contained in the application, and that to the best of my knowledge and belief, such information is true, complete and accurate.						
Signature	Date					

Title